

12

13

15

18

21

24

27

30

33

36

39

42

46

52



Span the h Talen for th usab incluc desig

Built o lighting the net breakt Cisco's Scope

Most importantly, when combined with other technology elements, such as Cisco networking, Cisco collaboration devices, Meraki Cameras, and Cisco Spaces, the NYC Talent and Collaboration Center is a digital real estate platform that continues to delight employees and visitors alike.

esigning the office r the Hybrid World	Key Design & Implementation Partners
	Enabling Technology
	Floor Plan
	Hot Desk
ning 59,000 square feet (5,481 square meters) in eart of midtown Manhattan, Cisco's New York City	Quiet Room (1 and 2 Person)
t and Collaboration Center is designed specifically	Traditional Huddle Room
e realities of hybrid work. Over 70% of the e square footage is dedicated to collaboration, ling over 90 video-enabled spaces specifically ned for collaboration, learning, and socializing.	Casual Huddle Room
	Brainstorming Huddle Room
	Small Collaboration Room
n a Power over Ethernet (PoE) foundation, 100% of the g, shading, and environmental controls are connected to	Medium Collaboration Room - Dual Display
work, allowing us to achieve new levels of manageability, aroughs in health and wellness, as well as contributing to corporate goal of reaching net zero across all Scope 1,	Medium Collaboration Room - Single Display
	Medium Collaboration Room - Video Centric
2, and Scope 3 emissions by 2040.	Medium Brainstorming Room

CISCO

Large Collaboration Room

Innovation Suite

Training Room

Resources

the details, countries used in the commercial processarians and the details, countries to the details and count	this document is to highlight components and partners creation of this office. See herein to any specific products or service does rily constitute or imply its t or recommendation.	
© 2025 Cisco a	nd/or its affiliates. All rights res	served.



PAGE 3 / 52





Owners Representative & Project Management

IT SOLUTIONS

Collaboration Design

& Implementation Services



Architectural Design Services

office revolution

Interiors & Furnishings




Construction Management




Smart Building Design & Implementation Services

© 2025 Cisco and/or its affiliates. All rights reserved.

Smart Building Components



Low Voltage 90W PoE Lighting (employee zone), air quality / CO2, Temp, Humidity, VOC



:ö: Mecho

Intelligent automated shading platform



A Delta Group Company

Intelligent PoE VAV controls for individual collaboration rooms





Individual heat pumps in customer zone meeting rooms, providing customized climate control and thermal comfort





POWER OVER ETHERNET LIGHTING

Luminaries

Smart Cameras

ıllıılıı CISCO PAGE 5 / 52


High-definition Indoor Security Cameras

Providing local storage of video and advanced object detection to support people counting.






Cisco Meraki MV12 Compact Dome Camera






Cisco Meraki MV32 360° Birdseye Camera



ıı|ıı|ıı CISCO

Cisco Spaces - Space Explorer


PAGE 6 / 52



Networking Elements







The Cisco Catalyst 9400 Switch provides connectivity for IT elements (video devices, wireless APs, IP Phones, smart cameras, etc.).

The Cisco Catalyst 90 watt UPOE+ 9300 stackable switching platforms is used to connect and power OT/smart building components (lighting, shading, thermostats, sensors, etc.).



The Cisco Catalyst
6E-compliant Wireless
Access Points (APs) provide
secure network connectivity
for employees and guests.

Built-in temperature, humidity, and air quality (TVoC) sensors provide additional data on environmental performance.



Cisco Catalyst 9300 Switch



Cisco Catalyst 9400 Switch



Cisco Catalyst 9166 Access Point

Cisco Video Devices

ıı|ıı|ıı CISCO



Cisco Room Bar

Integrated video conferencing system for small rooms





Cisco Room Bar Pro

Dual-camera integrated video conferencing system for medium rooms





Cisco Room Kit EQ

An Al-powered collaboration solution for large collaboration rooms and boardrooms





Cisco Room Kit Pro

A powerful and flexible room device bundle for very large rooms and custom AV integration scenarios.





Cisco Board Pro G2

Interactive collaboration board available in 55" and 75" screen sizes



Cisco Room Kit EQX

Powerful dual-screen collaboration system with integrated sound system



Cisco Desk Pro

Studio-quality desktop collaboration with a 27" screen, used in Quiet Rooms



Cisco Desk

All-in-one desktop collaboration device with a 24" screen, used on hot desks



Cisco Desk Mini

Desktop collaboration system with a 15" screen, used in video booth and banquettes



Cisco Ceiling Microphone Pro

Intelligent beam-forming mic, easy-to-deploy and gives great room coverage



Cisco Table Microphone Pro

Advanced beamforming table microphones.

Cisco Room Vision PTZ

Premium pan-tilt-zoom





Room Signage

ıı|ıı|ıı CISCO





Bookable Rooms

Cisco Room Navigator for Wall – through its integration with the O365 Calendar – enables seamless room booking, calendar view, meeting information, and meeting extension with a few taps on the touch screen.



Available



Booked (not yet occupied)



Occupied

Adhoc Rooms

Using the presence and people counting capabilities of the Cisco Collaboration Devices, the Cisco Room Navigator changes the LED light and display based on occupancy (green for available and red for occupied).



Available




Occupied

Building System Integration


Leveraging the open APIs available from the smart building systems and the UI Extension feature within the Cisco collaboration devices, custom buttons are available on the Cisco Board Pros, Cisco Desk/Desk Pros, and the Cisco Room Navigator for Table to control lights and shades in the collaboration spaces.

These capabilities are also available via voice command in selected rooms using Webex Assistant ("Hey, Webex, tell the room to lower the shades"). The integrations leverage the openness of the smart building APIs and the Cisco collaboration devices and do not require using any third-party control systems (Crestron, AMX, etc.). They are now available on GitHub for download and use.









Digital Signage









Appspace Digital Signage on LG 55" Display

Simultaneous display of local office signage within the Webex app, via Appspace bot.





Floor Plan



ıllıılı CISCO



© 2025 Cisco and/or its affiliates. All rights reserved.


Hot Desk

Overview

Providing areas for people to do focus work or passively participate in a remote meeting is critical in the hybrid work environment, and the hot desk is the perfect space for these activities.

Features

- Cisco Desk, or a Cisco Desk Phone 9800 Series, Desk Camera and 27" Display
- Teknion Navigate Height-Adjustable Table
- Humanscale Liberty Task chair



ılıılı CISCO

Cisco Desk Phone Option

Hot Desk


Components





Option 1





Option 2





Quiet Room (1 and 2 Person)

Overview

ıllıılı CISCO PAGE 15 / 52

The one and two-person quiet rooms are the perfect space when you need privacy to take a video call, carry out focused work, collaborate with another individual, or simply need a bit more screen space to get your job done.

Features

- Cisco Desk (1 person) or Cisco Desk Pro (2 person)
- Teknion Navigate Height-Adjustable Table
- Allermuir Kin chair



Quiet Room (1 and 2 Person)

Components







Teknion Navigate Height-Adjustable Table




Cisco Deskpro




Quiet Room (1 and 2 Person)

ıllıılıı CISCO







Note: Optimal size is nominal 8'x6' (2438mm x 1829mm), with a 5' (1524mm) table, 1 person room can go to 7'x5' (2134mm x 1524mm) with a 4' (1291mm) table if needed

Room Layout

Traditional Huddle Room

Overview

Making it easy for small groups to come together to share information, brainstorm, and solve problems is absolutely critical. In this office, we've replaced personal offices with dozens of huddle rooms and smaller collaboration spaces, each designed for this exact purpose. All of these spaces are video-enabled, ensuring the right resources can come together, regardless of where they are.

The Traditional Huddle Room is the perfect space for small group collaboration, especially when you need to bring in that important remote participant. Wireless sharing allows you to display content effortlessly in local and virtual meetings.

Features

- Cisco Room Bar
- Single 43" (3 person) or 50" (4 person) display
- Neinkamper Gateway table
- Teknion Zone chairs



CISCO

Traditional Huddle Room

Components





Teknion Zones Five-Star Caster Base



Seat Upholstery Maharam Manner Tidewater

teknion



Cisco Room Bar




Single 43" or 50" Display (LG, Panasonic, Samsung, or Sony)

CISCO

LG Panasonic SAMSUNG SONY

Nienkamper Gateway Wall Mounted Half Round Table

 \mathbf{H} CISCO



50" L X 58" D X 29" H (1270mm L X 1473mm D X 737mm H) Wilsonart-Natural Rift 7954-38, fine velvet finish Base Black

Power Forum finish Black







nienkämper

Traditional Huddle Room


Room Layout

ıllıılıı CISCO




9' x 9' (2743mm x 2743mm)

(3-Chairs)



10' x 10' (3048mm x 3048mm

Optimal (4-Chairs)



PAGE 21 / 52


Casual Huddle Room

Overview

The Casual Huddle is specifically designed for that informal meeting with colleagues, even when some of those colleagues are remote. The soft seat is lightweight and highly flexible, allowing the space to adapt to any and all needs.

Features

- Cisco Room Bar with a single 55" display (LG, Panasonic, Samsung, or Sony) or Cisco Board Pro 55 on a Salamander EZ Touch Wall Mount
- Stylex Share sectional
- Bernhardt Tour Pouf
- Source International LT Laptop Table





CISCO

Casual Huddle Room

Components

Option 2













Seat Upholstery

Maharam Mode Sycamore

Bernhardt Tour CH-36

STYLEX

Bernhardt Chiara







Bernhardt Chance




BERNHARDT design


Casual Huddle Room

Room Layout

ılıılı CISCO







Brainstorming Huddle Room

Overview

illilli CISCO PAGE 24 / 52

A perfect space for an ad-hoc brainstorming session or when you want to co-create with a colleague on an important project. The Cisco Board Pro is mounted on an adjustable EZ Lift from Salamander Designs, allowing the device to be used both in a standing and seated position

Features

- Cisco Board Pro 55
- Neinkamper standard height cone table
- Allermuir Kin chairs
- Salamander EZ Touch Wall Mount



Brainstorming Huddle Room


Components





Allermuir Kin (CH-42A)





Upholstery

Maharam

Manner – Tidewater


Nienkamper | Cone Table



Round Table with Laminate Top 42" DIA X 29" H (1067mm DIA X 737mm H)

Laminate top
Wilsonart-Frosty White #1573-60

Base White cone



Power Forum

1 Power module w/3 ports

Finish
White


Cisco Board Pro 55

ıı|ıı|ıı CISCO



CISCO

Salamander EZTouch Mount





nienkämper




Brainstorming Huddle Room

Room Layout







Small Collaboration Room

Overview

ılıılı CISCO PAGE 27 / 52

Small groups get work done. These small collaboration rooms are the perfect setting to bring in-person and remote colleagues together. The 120° field of view of the Cisco Room Bar camera ensures everyone is in view.

Features

- Cisco Room Bar
- Single 55" Display (LG, Panasonic, Samsung, or Sony)
- Neinkamper Gateway Table
- Humanscale Freedom Task Chair



Small Collaboration Room

Components







Humanscale Freedom Task Chair

Armrest/Armpad Advanced Duron Arms with Textile

Frame Color

Polished aluminum with Graphite Trim

Seat Textile

Ticino (Color: Glacier / White)

Humanscale



Cisco Room Bar



Single 55" Display

(LG, Panasonic, Samsung, or Sony)



Nienkamper Gateway TB-09



Table with Trapezoid Top, (1) simple forum with wood trough-6 ports

72" L x 32"/55" D x 28-1/2" H (1829mm L x 813mm/1397mm D x 724mm H)


Wood finish top #F18 Natural White Oak

Leg finish



Power Forum finish Black





nienkämper


CISCO

Small Collaboration Room

Room Layout







The perfect space to bring people together for knowledge sharing or decision making, dual 65" displays allow you to simultaneously see content and remote participants. The trapezoid-shaped table ensures that everyone can be seen. In addition, two (2) Cisco PTZ 4K Cameras and multiple Table Microphone Pros can be added in order to support the Cinematic Meetings Cross View feature.

Features

Overview

- Cisco Room Kit EQX with dual 65" displays mounted on a Salamander Credenza
- Two (2) side-mounted Cisco PTZ 4K Cameras
- Three (3) Cisco Table Microphone Pros
- Nienkamper Vox table
- Humanscale Liberty Task chairs



Medium Collaboration Room - Dual Display

ıı|ıı|ıı CISCO



Cisco Room Kit EQX

Components




Cisco Table Microphone Pro



Cisco PTZ 4K Camera







Dual 65" Displays

(LG, Panasonic, Samsung, or Sony)



CISCO



Nienkamper Vox Table TB-15



Table with Trough: Rectangle Shape and Laminate Top

Accessible Duo bases to conceal stub-up 120" L x 48" D x 28-1/2" H

(3048mm L x 1219mm D x 724mm H)

Laminate top

Wilsonart Natural Rift 7954-38, Fine Velvet Finish

Base Black

Two Power modules 5 ports Power Forum finish

Black

nienkämper



Humanscale Freedom Task Chair

Armrest/Armpad
Advanced Duron Arms with Textile
Frame Color
Polished aluminum with Graphite Trim
Seat Textile

Ticino (Color: Glacier / White)

Salamander Credenza




_____ Humanscale



Medium Collaboration Room - Dual Display

ıllıılıı CISCO







Room Layout

Medium Collaboration Room - Single Display

Overview

The Medium Collaboration Room with a single display is a great solution when space is at a premium. The large display provides ample screen space for both video and content, and when combined with a tapered table both in-person and remote participants are guaranteed to have a great experience.

Features

- Cisco Room Bar Pro and 75" display mounted on a Salamander Designs Credenza
- Two (2) Cisco Table Microphone Pros
- Nienkamper Vox table
- Humanscale Freedom Task chairs



ıllıılıı CISCO

Medium Collaboration Room - Single Display

CISCO

ıı|ıı|ıı CISCO





Nienkamper Vox Table TB-15



Table with Trough: Rectangle Shape and Laminate Top

Accessible Duo bases to conceal stub-up

120" L x 48" D x 28-1/2" H

(3048mm L x 1219mm D x 724mm H)

Laminate top

Wilsonart Natural Rift 7954-38, Fine Velvet Finish

Base

Black

Two Power modules
5 ports

Power Forum finish

nienkämper

Single 75" Display

Components

(LG, Panasonic, Samsung, or Sony)





Humanscale Freedom Task Chair

Armrest/Armpad

Advanced Duron Arms with Textile

Frame Cold

Polished aluminum with Graphite Trim

Seat Textile

Ticino (Color: Glacier / White)

Salamander Credenza




LG Panasonic SAMSUNG SONY


Humanscale




Medium Collaboration Room - Single Display

ıllıılıı CISCO







Room Layout

Medium Collaboration Room - Video Centric

Overview

The video-centric collaboration room is perfect for decision-making meetings. The horizontally positioned table, leveraging the 112 degree field of view of the Cisco Room Bar Pro, creates the effect of everyone sitting around the table.

Features

- Cisco Room Bar Pro with dual 65" displays mounted on a Salamander Credenza
- Two (2) Cisco Table Microphone Pros (optional)
- Nienkamper Vox table
- Humanscale Freedom Task chairs



ıllıılıı CISCO

Medium Collaboration Room - Video Centric














(LG, Panasonic, Samsung, or Sony)



CISCO





Nienkamper Vox Table TB-15

Components



Table with Trough: Rectangle Shape and Laminate Top

Accessible Duo bases to conceal stub-up 120" L x 48" D x 28-1/2" H

Laminate top

Wilsonart Natural Rift 7954-38, Fine Velvet Finish

(3048mm L x 1219mm D x 724mm H)

Base Black

Two Power modules

Power Forum finish Black

nienkämper



Humanscale Freedom Task Chair

Armrest/Armpad Advanced Duron Arms with Textile Frame Color

Polished aluminum with Graphite Trim

Seat Textile Ticino (Color: Glacier / White) Salamander Credenza




Humanscale



Medium Collaboration Room - Video Centric

ıı|ıı|ıı CISCO





Room Layout

Medium Brainstorming Room

Overview

ıı|ıı|ıı CISCO PAGE 39 / 52

This brainstorming space is built for when larger groups need to ideate. The table orientation and shape ensure everyone can be seen and heard, and the density of the space is gracious, allowing ample space to move within the room. The Cisco Board is multi-functional, enabling video calls, content sharing, and whiteboarding.

Features

- Cisco Board Pro 75 wall mounted
- Nienkamper Vox table
- Humanscale Freedom Task Chairs



Medium Brainstorming Room

Components





Humanscale Freedom Task Chair

Armrest/Armpad Advanced Duron Arms with Textile

Frame Color

Polished aluminum with Graphite Trim

Seat Textile

Ticino (Color: Glacier / White)

Humanscale

Nienkamper Vox Table TB-15



Table with Trough: Rectangle Shape

Accessible Duo bases to conceal stub-up 120" L x 48" D x 28-1/2" H (3048mm L x 1219mmz D x 724mm H)

Wilsonart Natural Rift 7954-38, Fine Velvet Finish

Base Black





Two Power modules 5 ports

Power Forum finish

Cisco Board Pro 75



CISCO

Cisco Room Navigator for Table








nienkämper

Medium Brainstorming Room

Room Layout





ıllıılıı CISCO

Large Collaboration Room


Overview

ıllıllı CISCO PAGE 42 / 52

A collaboration space specifically designed for large groups, dual screens allow in-person attendees to see both remote participants and content, and the tapered table shape ensure remote participants can see everyone in the room. The rear-mounted Cisco PTZ 4K Camera automatically captures presenters as they move in the front of the room. The optional Cisco Board Pro, operating in companion mode, allows co-creation capabilities to be brought into a video meeting.

Features

- Cisco Room Kit EQX Wall Stand or Cisco Room Kit EQ on a Salamander 6"D, Ultra-Low-Profile Credenza, with 75" displays (LG, Panasonic, Samsung, or Sony)
- Six (6) Cisco Table Microphone Pros
- Rear-mounted Cisco TelePresence Precision 60 Camera
- Rear-mounted Cisco Board Pro 75 (Companion Mode)
- Single 65 display as a third content display, mounted above
- Salamander Infiniti Table
- Humanscale Freedom Task Chairs with headrests



Large Collaboration Room

Components - Cisco Room Kit EQX Option

CISCO



Humanscale

SALAMANDER D E S I G N S

Cisco Room Kit EQX

on Wall Stand



Cisco Board Pro 75



75" Primary Displays 65" Auxiliary Display (Optional)

LG Panasonic SAMSUNG SONY

(LG, Panasonic, Samsung, or Sony)




Humanscale Freedom Task Chair with Headrest



Cisco TelePresence Precision 60 Camera



Cisco Table Microphone Pro



CISCO

Large Collaboration Room

Components - Cisco Room Kit EQ Option





Cisco Room Kit EQ & Quad Camera



Cisco Board Pro 75



Cisco TelePresence Precision 60 Camera



Cisco Table Microphone Pro



CISCO

75" Primary Displays65" Auxiliary Display (Optional)

(LG, Panasonic, Samsung, or Sony)






Humanscale Freedom Task Chair with Headrest

> Armrest/Armpad Advanced Duron Arms with Textile

Frame Color Graphite

Seat Textile Ticino Charcoal with light Grey Stitch Salamander Ultra-Low-Profile Credenza




Salamander Infiniti Table






Humanscale







PAGE 46 / 52

Innovation Suite

Overview

A perfect space for a team meeting or when colleagues want to get together to share ideas. The informal setting, the mix of seating types, and varying postures provide choice. The Cisco Board Pro 75 is the perfect multi-functional device for the space.

Features

- Cisco Board Pro 75
- National Strassa
- Bernhardt Chiara
- Bernhardt Chance
- Stylex Share 3-Seater
- Teknion Sprout Stool
- Bernhardt Clue



ılıılı CISCO



Innovation Suite

Components





Kimball Strassa Table



Dimensions: 84" W x 24" D x 41" H (2134mm W x 610mm D x 1041mm H)

■ Kimball*International

Cisco Board Pro 75



Teknion Sprout Stool



___ teknion

Stylex Share 3-Seater



Bernhardt Chiara



Bernhardt Chance

CISCO




Bernhardt Clue




BERNHARDT design

Innovation Suite

Room Layout









Training Room

Overview

Designed for delivering true hybrid learning events, this training room leverages three large displays, multiple cameras, and Cisco's "Classroom" mode to provide an unparalleled experience to all participants. The solution supports multiple learning scenarios, including local presenter to a local audience, local presenter to a local and remote audience, remote presenter to a local and remote audience, and discussion mode. In the meeting, whiteboarding and annotation are supported by the Cisco Board Pro operating in Companion Mode.

Features

- Cisco Room Kit Pro with Cisco Quad Camera
- Triple 85" Displays (LG, Panasonic, Samsung, or Sony)
- Rear mounted 65" display (confidence monitor)
- Four (4) Cisco Ceiling Microphone Pros
- Third-party ceiling speakers with amplifier
- Overhead mounted Cisco TelePresence Precision 60 Camera
- Wall mounted Cisco Board Pro 75 (Companion Mode)
- Teknion Expansion Training tables
- National Jiminy Flip Nesting chairs



11111111

CISCO

Training Room

Components





Cisco Board Pro 75



Cisco Room Kit Pro



Cisco Ceiling Microphone Pro



Cisco TelePresence Precision 60 Camera



CISCO



Teknion Expansion Training Table



teknion

85" Primary Displays 65" Rear Display


(LG, Panasonic, Samsung, or Sony)




Training Room Room Layout

ıllıılıı CISCO











PAGE 52 / 52

Resources

Cisco.com

Cisco Workspaces

Best Practices for Creating Effective Video-enabled Rooms

© 2025 Cisco and/or its affiliates. All rights reserved. Cisco, the Cisco logo, Webex by Cisco, and Webex are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, see the Trademarks page on the Cisco website. Third-party trademarks mentioned are the property of their respective owners. The use of the word "partner" does not imply a partnership relationship between Cisco and any other company. (2106R)

The intent of this document is to highlight the details, components and partners used in the creation of this office. Any reference herein to any specific commercial products or service does not necessarily constitute or imply its endorsement or recommendation.

Version 27 (June 8, 2025) © 2025 Cisco and/or its affiliates. All rights reserved.

